ALPHABETICAL INDEX

Adjustment of DH, ILS 938
Adjustment of DH, PAR (Heli.) 1167
Adjustment of DH, PAR 1028
Adjustment to MDA 323
Air Force Procedures Issuance 171
Air Traffic, Coordination of Procedures 150
Airborne Radar 1000, 1060
Airborne Receiver Performance . . . . . Foreword
Airport Surveillance Radar . . . . . See ASR
Airports, Requirements for Procedures 122
Airport Waypoint 1501, 1506
Airspace Action, Coordination of Procedures 150
Airspeeds, Units Used 210
Air-ground Communications Required 122
Alignment of Initial Approach Segments 232
Alignment Options, NDB Final 613, 713
Alignment, Approach Course 342
Alignment, Arc Initial Course 232
Alignment, Arc Intermediate Approach Segment 243
Alignment, ASR Diverse Vectors 1041
Alignment, ASR Final 1044
Alignment, ASR Initial 1041
Alignment, ASR Intermediate 1042
Alignment, Circling Final Approach Area 260
Alignment, DF Final 813
Alignment, DR Initial Approach Segment 233
Alignment, Final Approach, VOR 413, 423
Alignment, Holding 291
Alignment, ILS Final 930
Alignment, Initial and Intermediate Segments 232
Alignment, Localizer 952
Alignment, Missed Approach 271
Alignment, NDB Final Approach 613, 623, 713
Alignment, PAR Final 1020
Alignment, Procedure Turn Initial Approach Segment 234
Alignment, RNAV Final 1523
Alignment, RNAV Initial 1521
Alignment, RNAV Intermediate 1522
Alignment, SDF Final Approach 1413
Alignment, Straight Initial Course 232
Alignment, Straight Intermediate Approach Segments 242
Alignment, TACAN Arc Final 523
Alignment, Teardrop Penetration Initial Approach 235
Alignment, VDP 251
Alignment, VOR Final 513
Alignment, VORTAC Arc Final 523
Alignment, VOR/DME Arc Final 523
Alongtrack Distance Fix 1501

Alongtrack Fix Displacement 1501, 1520
ALS for ILS Category II A5-2
ALSF-1 341
ALS A5-1
Alternate Minimums 360
Alternate Missed Approach Procedure 270
Altitude Difference, Procedure Turn Completion 234
Altitude Loss, Penetration Turn Initial Approach 235
Altitude Selection 231
Altitude Selection, ASR 1043
Altitude Selection, ILS 924
Altitude Selection, Initial Approach 231
Altitude Selection, Intermediate Approach 241
Altitude Selection, PAR 1016
Altitude Selection, Simultaneous ILS 994
Altitudes (Heli.) 1126
Altitudes, Emergency Safe 221
Altitudes, Minimum Safe 221
Altitudes, Minimum Sector 221
Altitude, Initial, ILS 924
Altitude, Intermediate Approach 924
Altitude, Minimum Descent ..... See MDA
Altitude, Minimum Safe, DF 810
Altitude, Minimum Sector 221
Altitude, Minimum, Initial Approach 231
Altitude, Missed Approach 270
Altitude, Penetration Turn 423, 924
Altitude, Penetration Turn, DF 813
Altitude, Procedure Turn Completion 234
Altitude, Procedure Turn, DF 813
Altitude, Procedure Turn, ILS 924
Altitude, Procedure Turn, NDB 613, 623
Altitude, Units Used 210
Ambiguity - Cone 1502
Analysis of Obstacle Clearance A2-12
Angle of Convergence, NDB Final 613
Angle of Divergence A1-2
Angle of Divergence, Holding Fix 287
Angle of Divergence, Teardrop Procedure Turn 234
Angle of Interception, Initial and Intermediate Segments 232
Angle of Interception, Simultaneous ILS Localizer 994
Angle of Intercept, DR Initial Segment 233
Angle of Intercept, PAR 1014
Angle of Intersection, ILS 923
Angles, Minimum Divergence 1760
Angle, Glide Slope, PAR 1026
Angle, ILS Glide Slope 936
Antenna Mast Height, ILS 936
Application of Appendix A1-1
Application of Approach Category 213
Application (Heli.) 1106, 1125

Application, Departure Criteria 1201
Application, Turning Area Criteria 1714
Approach Categories (Heli.) 1108
Approach Categories 212
Approach Category Application 213
Approach Course Alignment 342
Approach Lights, Visibility Credit 340
Approach Minimums, DF 830
Approach Segments, Typical 230, 240
Approach Surface Baseline A1-2, A2-9, A2-11
Approach, Circling 4, 260
Approach, Final 250
Approach, Initial ..... See Initial Approach
Approach, Intermediate ..... See Intermediate Approach
Approach, Light Plane A1-1
Approach Lighting Systems A5-1
Approach, Missed ..... See Missed Approach
Approach, NDB ..... See NDB
Approach, Precision 5
Approach, Procedures 5
Approach, Simultaneous 5
Approach, Straight-in 5
Approval of Procedures 122
Approval, Nonstandard Procedures 141
Approving Authority A1-2
Arc Final Approach Segment Alignment, TACAN, VOR/DME and VOR with FAF (Heli.) 1137
Arc Final Approach Segment Radius, TACAN, VOR/DME and VOR with FAF (Heli.) 1136
Arc Final Approach, TACAN 523
Arc Final Approach, VORTAC 523
Arc Final Approach, VOR/DME 523
Arc, DME A1-2
Arc, Initial Approach 232
Arc, Intermediate Approach Segment 240, 243
Area, Arc Intermediate Approach Segment 243
Area, ASR Final 1044
Area, ASR Initial 1041
Area, ASR Intermediate 1042
Area, Circling Approach A1-2, 260
Area, Departure 1202, 1203
Area, DF Final 813
Area, Diverse Vectors, ASR 1041
Area, DR Initial Approach Segment 233
Area, Final Approach, VOR 413, 423
Area, ILS Final 930
Area, Initial Approach Segment 232
Area, Intermediate (with Procedure Turn 244
Area, Localizer & LDA Final 953
Area, Missed Approach, ILS 944
Area, NDB Final Approach 613, 623
Area, Obstacle Clearance, En Route 1710, 1711, 1712
Area, Obstacle Clearance, Holding 292

Area, Obstacle Clearance, NDB 713
Area, Obstacle Clearance, VOR 513
Area, PAR Final 1020
Area, PAR Missed Approach 1033
Area, Procedure Turn 234
Area, RNAV Final 1523
Area, RNAV Initial 1521
Area, RNAV Intermediate 1522
Area, SDF Obstacle Clearance 1413
Area, Straight Intermediate Approach Segment 242
Area, TACAN Arc Final 523
Area, Teardrop Penetration Initial Approach 235
Area, Turning Missed Approach 275
Area, VDP 251
Area, VORTAC Arc Final 523
Area, VOR/DME Arc Final 523
Army Procedures Issuance 171
ARSR Fixes 283
ARSR, Use as Course Vector 283
ASR Fixes 283
ASR Procedures 1000, 1040
ASR, Use as a Course Vector 211
ATD Fixes, Use 1502
Authorities, Approving ..... Forward, A1-2
Back Course Procedures, SDF 1415
Baseline, Approach Surface A1-2, A2-9, A2-11
BC A1-2
Bearings, Units Used 210
Cancellation of Directives 2
Cancellation of Procedures 123
Categories of Aircraft for Approach 212
Ceiling, Departure 1208
Changeover Points (COP), En Route 1716
Changes to Procedures 142
Circling Alignment, VOR 513
Circling Approach Area Not Considered for Obstacle Clearance 261
Circling Approach Area A1-2
Circling Approach Minimums 323
Circling Approach, Missed Approach Point 514
Circling Approach, NDB 613, 713
Circling Approach, SDF 1413
Circling Approach, VOR 400, 413
Circling Descent Gradient 513
Circling Descent Gradient, NDB Final 713
Circling Final Approach 260
Circling Minimums 322, 351
Circling NDB Approach 600
Circling NDB Missed Approach 714
Circling NDB Obstacle Clearance 613
Circling NDB Procedures 600
Circling Obstacle Clearance, ASR 1044

TAC azimuth and distance fix to another is dead

Circling Obstacle Clearance, NDB 623
Circling Obstacle Clearance, VOR 413, 423, 513
Circling Procedures Identification 162
Circling 4
Civil Airport Procedures Responsibility 130
Civil Airports, Coordination of Procedures 150
Civil Procedures Issuance 171
Civil Procedures, Coordination Conflicts 151
Civil Takeoff Minimums 370
Clearance, Obstacle ..... See Obstacle Clearance
Climb Gradients, Departure 1205
Coast Guard Procedures Issuance 171
Combination Missed Approach Obstacle Clearance 277
Combination Missed Approach, ILS 945
Combination Missed Approach, PAR 1035
Combination Missed Approach, RNAV 1535
Combination Straight and Turning Missed Approach PAR (Heli.) 1171
Combination Straight and Turning Missed Approach (Heli.) 1122
Common Information 210
Communications for PAR 1012
Communications in Holding 1731
Communications Loss for ASR 1047
Communications Required for Procedures 122
Communications, DF Procedure 820
Compass Locator 911
Component Failure, PAR 1011
Components, ILS Cat I 910
Components, ILS 913
Computing TCH A2-9
Cone of Ambiguity 1502
Construction of Procedure 214
Controlling Obstacle A1-2
Convergence Angle, NDB Final 613
Convergence NDB Final 713
Coordination Conflicts 151
Coordination of Procedures 123, 150, 172
Course Change, En Route 1717
Course Divergence, Penetration Turn Initial Approach 235
Course Reversal, RNAV 1521
Course, Straight, Initial Approach, Angle of Intersection 232
Course, Units Used 210
Criteria, ILS Category I 920
Crosstrack Fix Displacement 1501
Dead Reckoning Initial 233
Dead Reckoning A1-2
Decision Height ..... See DH
Definition of ILS Type 901
Departure Ceiling 1208
Departure Minimums 370, 1280
Departure Procedure Publication 1207
Departure Procedures 4, 1200

Departure Routes 1203, 1205
Departure Visibility 1208
Departures Straight 1203
Departures, Turning 1203
Departure, End of 1206
Descent Altitude, Minimum . . . . . See MDA
Descent Angle, RNAV 1523
Descent Fix Distance 288
Descent Fix 288
Descent Gradient 513
Descent Gradient, Approach Segment 288
Descent Gradient, Arc Initial Segment 232
Descent Gradient, ASR 1044
Descent Gradient, ASR Diverse Vectors 1041
Descent Gradient, ASR Initial 1041
Descent Gradient, ASR Intermediate 1042
Descent Gradient, DR Initial Segment 233
Descent Gradient for Final Approach 252
Descent Gradient (Heli.) 1110
Descent Gradient, ILS 923
Descent Gradient, Initial Approach Area 232, 235
Descent Gradient, Intermediate Approach Segment 243
Descent Gradient, Localizer & LDA Final 955
Descent Gradient, NDB 623, 713
Descent Gradient, PAR 1015
Descent Gradient, Procedure Turn Initial Approach 234
Descent Gradient, RNAV Initial 1521
Descent Gradient, RNAV Intermediate 1522
Descent Gradient, Straight Intermediate Segment 242
Descent Gradient, TACAN Arc Final 523
Descent Gradient, VOR Final 423
Descent Gradient, VORTAC Arc Final 523
Descent Gradient, VOR 413
Descent Gradient, VOR/DME Arc Final 523
Deviation from Established Radar Patterns 1045
DF Procedures 800, 810
DF & High Altitude Penetration A2-8
DII Adjustment, PAR 1028
DH 324, A1-2
DH, ILS 938
DH, PAR 1028
Discontinuance of ILS Missed Approach Obstacle Clearance 944
Discontinuance of PAR Missed Approach Obstacle Clearance 1034
Displacement, Fix 281, 284, 285, 286
Distance Effect on Visibility Minimums 331
Distance & Bearing Information 210
Distance & Divergence, Penetration Turn 235
Distance, Units Used 235
Distance, DME A1-2
Distance, Holding Fix Facility 287
Distance, Penetration Turn Initial Approach Area 235

Distance, Procedure Turn vs. Intermediate Segment 244
Distance, Procedure Turn 234
Distribution (FAA) 2
Distribution (U.S.A., USAF) . . . . . Page viii
Distribution (U.S.N., USMC, USCG) . . . . . Page vii
Divergence Angle, Holding Fix 287
Divergence Angle, Teardrop Procedure Turn 234
Diverse Departures 1202, 1205
Diverse Vectors, ASR 1041
DME Accuracy 286
DME Arc A1-2
DME Distance A1-2
DME Distance Waypoints 1505
DME Fixes 282
DME 912
Dogleg Segment, En Route 1716
Doppler, RNAV 1500, 1501
DR 232
Early Turns 1204, 1205
Effective Date of Procedure 172
Eligibility for Procedures 120
Eligibility, Civil Airports 120
Eligibility, Military 120
Elimination of Procedure Turn 234
Emergency Dissemination of Procedures 150, 172
Emergency Safe Altitude 221
End of Departure 1206
End of Missed Approach 278
End Point Waypoints 1505
En Route Holding 1731
En Route Obstacle Clearance Areas 1710
En Route Operations 220
En Route RNAV 1510
En Route Turning Areas 1510
Entry Zone, Procedure Turn 234
Equivalents to ALS A5-2
Equivalents to LDIN A5-8
Equivalents to MALS A5-3
Equivalents to ODALS A5-5
Equivalents to SALS A5-3
Equivalents to SSALF A5-3
Equivalents to SSALS A5-3
Established GS Angle A2-9
Establishment of Procedures 140
Existing Procedures 4
Expanded Turning Area, RNAV 1510
Facilities for which Criteria Are Not Provided (Heli.) 1104
FAC A1-2
FAF A1-2
Feeder Routes 220, 410, 420, 510, 520, 610, 620, 710, 730, 920, 950, 993, 1013
Feeder Routes, RNAV 1512

Final Approach Alignment PAR (Heli.) 1159
Final Approach Area PAR (Heli.) 1160
Final Approach Fix Error 287
Final Approach Length, Effect on MDA 323
Final Approach NDB 613, 623
Final Approach Obstacle Clearance Surface A2-11
Final Approach, RNAV 1523
Final Approach Secondary Area Obstacle Clearance A2-7
Final Approach Secondary Area Width A2-7
Final Approach Segment ASR (Heli.) 1174
Final Approach Segment ILS (Heli.) 1152
Final Approach Segment NDB with FAF (Heli.) 1142
Final Approach Segment NDB, No FAF (Heli.) 1140
Final Approach Segment on Heliport VOR (No FAF)(Heli.) 132
Final Approach Segment PAR (Heli.) 1158
Final Approach Segments A2-11
Final Approach Segment 250
Final Approach Segment, Parallel ILS 996
Final Approach Segment, TACAN, VOR/DME and VOR with FAF (Heli.) 1133
Final Approach Segment, Visual Portion 251
Final Approach Segment, VOR (High ALT) 423
Final Approach Segment, VOR (Low ALT) 413
Final Approach Surface, PAR (Heli.) 1162
Final Approach Trapezoid, NDB 713
Final Approach (Heli.) 1116
Final Approach - Only One Specified 250
Final Approach, ASR 1044
Final Approach, DF 813
Final Approach, ILS 930
Final Approach, PAR 1020
Final Approach, SDF 1413
Final Approach, TACAN 523
Final Approach, VORTAC 523
Final Approach, VOR 513
Final Approach, VOR/DME 523
Final Secondary Area A2-6
Fix Displacement, RNAV 1502
Fix Distance, Descent 288
Fix Error, Final Approach 287
Fix Formed by Intersection 281
Fix Stepdown, NDB 613, 623
Fixes, LF 1762
Fixes, NDB Final 713
Fixes, Radar 283
Fixes, TACAN Arc Final 523
Fixes, Use of 513
Fixes, VHF, En Route 1761
Fixes, VORTAC Arc Final 523
Fixes, VOR/DME Arc Final 523
Fix, Descent 288
Fix, Displacement 281, 284, 285, 286

Fix, DME 282
Fix, Holding 287
Fix, Initial Approach 230, 287
Fix, Intermediate 287
Fix, Obstacle Clearance 288
Fix, Obstacles Close-in 289
Fix, Stepdown 288
Fix, Terminal Area 280
Flight Inspection A1-2
Flight Levels, Units Used 210
Formulation of Procedures 140
Gaps, Navigational 1740
Glide Slope Extension A2-9
Glide Slope, ILS 936
Glide Slope, PAR (Heli.) 1165
Glide Slope, PAR 1026
Glossary A1-2
GPI A1-2, A2-7
GPS, RNAV 1500, 1501
Gradient, Departure Climb 1205
Gradient, Descent . . . . . See Descent Gradient
Ground Point of Intercept A2-11
Ground System Performance . . . . . Foreword
GS Angle A2-9
GS Antenna Height, ILS 936
GS Antenna Location A2-9
GS Relocation, ILS 937
GS Relocation, PAR 1027
Guidance, Positive, Course, Requirements 211
HAA A1-2
HAT A1-2
Height Antenna Mast, ILS 936
Height, Threshold Crossing, ILS 936
Helicopter Procedures 1100
High Altitude Penetrations . . . . . Chap 4, Sect 2
High Altitude Penetration A2-8
High Altitude Procedures Identification 163
HIRL for RVR Approval 334
Holding 290
Holding Alignment (Heli.) 1123
Holding Area (Heli.) 1124
Holding at Initial Fix 230
Holding, En Route 1731
Holding Fix 287
Holding Obstacle Clearance Area 292
Holding Obstacle Clearance 293
Holding Obstacle Clearance, En Route 1731
Holding Pattern as Initial Segment 230
Holding Pattern Over Final Approach Fix 234
Holding Pattern Over Intermediate Fix 234
Holding Patterns 290

Holding, RNAV 1507
Holding Waypoints 1505
IAC A1-2
IAF A1-2
IAF, Initial Approach Fix 230
IC A1-2
Identification of Procedures 160
IF A1-2
ILS Category II ALS A5-9
ILS Category III 970
ILS Category II 960
ILS Category I 901
ILS Criteria 920
ILS GS Angle vs. Slope of Surface 931
ILS Procedures, Simultaneous 990
ILS 900
ILS/PAR Obstacle Clearance A2-11
Inertial RNAV 1500, 1501
Initial Altitudes, ILS 924
Initial and Intermediate Segments on Heliport VOR (No FAF)(Heli.) 1131
Initial Approach Altitude Selection 231
Initial Approach Area, Penetration Turn 235
Initial Approach Penetration Turn Altitude 235
Initial Approach Segment ASR (Heli.) 1172
Initial Approach Segment Based on Procedure Turn (Heli.) 1112
Initial Approach Segment Based on Procedure Turn 234
Initial Approach Segments Based on Straight Courses and Arcs with Positive Course Guidance (Heli.) 1111
Initial Approach Segment, VOR 411, 421, 511
Initial Approach 230
Initial Approach, ASR 1041
Initial Approach, DF 811
Initial Approach, ILS 921
Initial Approach, Localizer & LDA 950
Initial Approach, NDB 611, 621, 711
Initial Approach, RNAV 1521
Initial Approach, Simultaneous ILS 994
Initial Fix 287
Initial Secondary Area Obstacle Clearance A2-5
Initial Segments 230
Initial Segment, PAR 1013
Initial Segment, TACAN 521
Initial Segment, VORTAC 521
Initial Segment, VOR/DME 521
Initiation of Missed Approach 270
Inoperative Components, ILS 913
Inoperative Components, PAR 1011
Instrument Landing System ..... See ILS
Intercept Angle, DR Initial Approach Segment 233
Interception Angle, Simultaneous ILS 994
Intermediate Approach Altitude 924

Intermediate Approach Segment ASR (Heli.) 1173
Intermediate Approach Segment Based on an Arc (Heli.) 1114
Intermediate Approach Segment Based on Straight Courses (Heli.) 1113
Intermediate Approach Segment ILS (Heli.) 1151
Intermediate Approach Segment PAR (Heli.) 1156
Intermediate Approach Segment, Arc 243
Intermediate Approach 240
Intermediate Approach, DF 812
Intermediate Approach, ILS 922
Intermediate Approach, NDB 612, 621, 712
Intermediate Approach, Straight 242
Intermediate Approach, VOR 412
Intermediate Fix 287
Intermediate RNAV 1522
Intermediate Secondary Area Obstacle Clearance A2-4
Intermediate Secondary Area A2-3
Intermediate Segment within a Procedure Turn Segment (Heli.) 1115
Intermediate Segment within a Procedure Turn Segment 244
Intermediate Segment, ASR 1042
Intermediate Segment, NDB 612
Intermediate Segment, PAR 1014
Intermediate Segment, Simultaneous ILS 995
Intermediate Segment, TACAN 522
Intermediate Segment, VOR (High ALT) 422
Intermediate Segment, VOR (Low ALT) 412
Intermediate Segment, VORTAC 522
Intermediate Segment, VOR/DME 522
Intermediate, Localizer & LDA 950
Intersection Angle, Arc Initial Approach 232
Intersection Angle, ILS 923
Intersection Angle, Initial to Intermediate Segments 232
Intersection Angle, Straight Initial Segment 232
Intersection Fix Displacement 285
Intersection Fix 281
Issuance of Procedures 171
JAL A1-2
Jurisdiction of Procedures 131
Landing Systems, Instrument ..... See ILS
Lateral Distance of GS Antenna A2-9
Latitude/Longitude Waypoints 1505
LDA Procedures 950
LDA 901, A1-2
LDIN 341, A5-8
Lead Radial, Arc Initial Approach Segment 232
Lead Radial, Arc Initial Segment 232
Length, Arc Intermediate Approach Segment 243
Length, ASR Final 1044
Length, ASR Intermediate 1042
Length, DR Initial Approach Segment 233
Length, Final Approach Segment, VOR 513
Length, ILS Final Approach Area 930

Length, Initial Approach Segment 232
Length, Intermediate Segment (with Procedure Turn) 244
Length, Intermediate, ILS 923
Length, NDB Final Approach Course 713
Length, PAR Final 1020
Length, Straight Intermediate Approach Segment 242
Lighting Required for Procedures 122
Lighting Systems 341
Lighting & Marking Obstacles 122
Lighting, Approach A5-1
Lights, Visibility Credit 340
LMM 911
Localizer Accuracy 285
Localizer and LDA (Heli.) 1155
Localizer Approach 901
Localizer Interception, Simultaneous ILS 994
Localizer Only, Use 951
Localizer Procedures 950
Location of GS Antenna 936, A2-9
LOC A1-2
LOM 911
Loran-C 1500, 1501
Lost Communications, ASR 1047
Low Altitude NDB Procedures 610
Low Altitude Procedures, VOR 410
Lowest Minimums, ILS 935
MALSR 341, A5-10
MALS 341, A5-6
Maneuvering Zone, Procedure Turn 234
MAP A1-2
MAP, ILS 941
MAP, NDB 714
MAP, PAR 1031
MAP, VOR 514
Marker Beacon Accuracy 286
Marking of Runways 342
Marking & Lighting Obstacles 122
Maximum Intermediate Segment Length (with Procedure Turn) 244
MCAs 1730
MDA Adjustment 323
MDA Effect on Visibility Minimums 331
MDA for Circling Approach 322, 351
MDA for Straight-in Approach 321
MDA 320, 513, A1-2
MDA, Arc Procedures 523
MDA, DF 813
MDA, Localizer & LDA 956
MDA, NDB Procedures 613, 623, 713
MDA, VOR 413, 423
Measurement, Units of 210
MEAs 1718

MHA A1-2
Microwave ILS (Heli.) 1154
Military Airports, Coordination of Procedures 150
Military Airports, Procedures Responsibility 130
Military Minimums 350
Military Procedures at Civil Airports, Responsibility 130
Military Procedures, Nonstandard 141
Military Takeoff Minimums 370
Minimum Altitude, Intermediate Segment 241
Minimum Arc Radius, Initial Approach 232
Minimum Crossing Altitude (MCA) 1730
Minimum Descent Altitude . . . . . See MDA
Minimum DH, ILS 938
Minimum DH, PAR 1028
Minimum Divergence Angles 1760
Minimum En Route Instrument Altitudes (MEA) 1718
Minimum Length of NDB Final Approach Segment 713
Minimum Length, Intermediate Course 242
Minimum Obstacle Clearance in Initial Approach 235
Minimum Safe Altitude 221
Minimum Safe Altitude, DF 810
Minimum Sector Altitude 221
Minimum Straight Intermediate Course Length 242
Minimums, Alternate 360
Minimums, Approach, Aircraft Category Descriptions 212
Minimums, Circling 351
Minimums, Departure 370, 1208
Minimums, DF 830
Minimums, Establishment 310
Minimums, ILS 935
Minimums, Military 350
Minimums, PAR Final 1025
Minimums, Standard 350
Minimums, Takeoff & Landing 300
Minimums, Takeoff 370
MIRL A5-13
Missed Approach Alignment 271
Missed Approach Area ILS (Heli.) 1153
Missed Approach Area, Combination 277
Missed Approach ILS, Combination 945
Missed Approach Obstacle Clearance 274
Missed Approach Obstacle Clearance, ILS 944
Missed Approach Obstacle Clearance, PAR (Heli.) 1168
Missed Approach Obstacle Clearance, PAR 1034
Missed Approach Point (Heli.) 1117
Missed Approach Point 272
Missed Approach Point, ASR (Heli.) 1175
Missed Approach Point, NDB with FAF (Heli.) 1143
Missed Approach Point, RNAV 1532
Missed Approach Point, TACAN, VOR/DME and VOR with FAF (Heli.) 1135
Missed Approach Segment 514, 524

Missed Approach 40:1 Surface 274
Missed Approach 270
Missed Approach, ASR 1048
Missed Approach, DF 814
Missed Approach, End 278
Missed Approach, ILS 940, 942, 943
Missed Approach, Localizer & LDA 957
Missed Approach, NDB 614, 624, 714
Missed Approach, Overhead a Fix 287
Missed Approach, RNAV 1530, 1531
Missed Approach, SDF 1414
Missed Approach, Simultaneous ILS 997
Missed Approach, VOR 413, 424, 514
Mountainous Areas, En Route 1720
Multi-Sensor RNAV 1500, 1501
Navigation Facility, Requirement for Procedures 122
Navigational Gaps 1740
Navy & Marine Corps Procedures Issuance 171
NDB Procedures 600, 700, 710
NDB A1-2
No Transgression Zone, Simultaneous ILS 996
Nonprecision Approach 5
Nonprecision Approach Minimums 330
Nonprecision A1-2
Nonstandard Lighting Systems 344
Nonstandard Procedures 141
Notams, Use for Procedures 150, 172
Obstacle Clearance Analysis A2-10
Obstacle Clearance Areas, En Route 1710
Obstacle Clearance Areas, Penetration Turn Initial Approach 235
Obstacle Clearance Area, Holding 292
Obstacle Clearance Area, NDB 713
Obstacle Clearance Area, VOR 513
Obstacle Clearance Boxes A1-2
Obstacle Clearance Criteria, ILS/PAR A2-10
Obstacle Clearance PAR (Heli.) 1164
Obstacle Clearance Past a Fix 288
Obstacle Clearance 342, A1-2
Obstacle Clearance, Arc Intermediate Segment 243
Obstacle Clearance, ASR Diverse Vectors 1041
Obstacle Clearance, ASR Initial 1041
Obstacle Clearance, ASR Intermediate 1042
Obstacle Clearance, ASR 1044
Obstacle Clearance, Circling Final Approach 260
Obstacle Clearance, DF Final 813
Obstacle Clearance, DR Initial Segment 233
Obstacle Clearance, Emergency Safe Altitude 221
Obstacle Clearance, En Route 1720, 1721
Obstacle Clearance, En Route RNAV 1510, 1511
Obstacle Clearance, Facility Sectors 221
Obstacle Clearance, Final Approach Secondary A2-7

Obstacle Clearance, Holding 293
Obstacle Clearance, ILS 934
Obstacle Clearance, Initial Approach Area 232
Obstacle Clearance, Initial Secondary Area A2-5
Obstacle Clearance, LF 1750
Obstacle Clearance, Localizer & LDA Final 954
Obstacle Clearance, Minimum Safe Altitude 221
Obstacle Clearance, Minimum Sector Altitude 221
Obstacle Clearance, Missed Approach, ILS 944
Obstacle Clearance, NDB Final 613, 713
Obstacle Clearance, NDB 623
Obstacle Clearance, PAR Final 1024
Obstacle Clearance, PAR Missed Approach 1034
Obstacle Clearance, Penetration Turn Initial Approach 235
Obstacle Clearance, Procedure Turn Initial 234
Obstacle clearance, RNAV Feeder 1512
Obstacle Clearance, RNAV Final 1523
Obstacle Clearance, RNAV Initial 1521
Obstacle Clearance, RNAV Intermediate 1522
Obstacle Clearance, SDF 1413
Obstacle Clearance, Secondary Area A2-4, A2-5, A2-7
Obstacle Clearance, Sector, DF 810
Obstacle Clearance, Straight Intermediate Approach Segment 242
Obstacle Clearance, Straight Missed Approach 274
Obstacle Clearance Surface, VDP 251
Obstacle Clearance, TACAN Arc Final 523
Obstacle Clearance, Turning Missed Approach 276
Obstacle Clearance, VDP 251
Obstacle Clearance, VORTAC Arc Final 523
Obstacle Clearance, VOR 413, 513
Obstacle Clearance, VOR/DME Arc Final 523
Obstacle Identification Surface (OIS) 1202, 1203
Obstacle Marking & Lighting 122
Obstacle Problems A2-2
Obstacles Close-in to Fix 289
Obstacles, Secondary Areas A2-2
Obstacle A1-2
Obstacle, Controlling A1-2
Offset COP, En Route 1716
Off-Airport Facilities, Missed Approach 514
Omega, RNAV 1500, 1501
On-Airport Facilities, Missed Approach Point 514
On-Airport VOR, No FAF 400
Operational Advantage A1-2
Optimum A1-2
PAR Missed Approach 1030
PAR Procedures 1010
PAR System Components 1010
PAR 1000
PAR, Simultaneous 1050
Penetration Turn Altitude, DF 813

Penetration Turn Altitude, Initial Approach 235
Penetration Turn Altitude, VOR 423
Penetration Turn Distance vs. Divergence 235
Penetration Turn Initial Approach Obstacle Clearance 234
Penetration Turn Table 235
Penetration Turn, ILS 924
Penetration Turn, NDB 623
Penetration Turn, VOR 423
Penetrations as Initial Segments 230
Pilotage Error Standards ..... Foreword
Point in Space Approach (Heli.) 1107
Positive Course Guidance for Final Approach 250
Positive Course Guidance in Missed Approach 273
Positive Course Guidance, Requirements 211
Positive Course Guidance, RNAV 1502
Precipitous Terrain, Effect on MDA 323, A1-2
Precision Approach Minimums 323
Precision Approach Radar ..... See PAR
Precision Approach 5, A1-2
Primary Areas, En Route 1711
Primary Area A1-2
Primary Area, RNAV 1510
Private Procedures, Eligibility 120
Procedure Construction (Heli.) 1109
Procedure Construction 214
Procedure Identification (Heli.) 1105
Procedure Segments 214
Procedure Turn Altitude, DF 813
Procedure Turn Altitude, NDB 613
Procedure Turn Altitude, VOR 413
Procedure Turn Area 234
Procedure Turn as Initial Segment 230
Procedure Turn Completion Altitude Difference 234
Procedure Turn Distance 234
Procedure Turn, Elimination 234
Procedure Turn, ILS 924
Procedure Turn, Initial Descent Gradient 234
Procedure Turn, Point of Origin 234
Procedure Approval 122
Procedures Cancellation 123
Procedures, Airport Requirements 122
Procedures, Changes to 142
Procedures, Communications Required 122
Procedures, Coordination 123, 130, 150, 172
Procedures, Departure 5
Procedures, Dissemination by Notam 150, 172
Procedures, Effective Date 170
Procedures, Eligibility 120
Procedures, Emergency Dissemination 150, 172
Procedures, Formulation 140
Procedures Identification 160

Procedures, Issuance 171
Procedures, Jurisdiction 131
Procedures, Lighting Required 122
Procedures, Military, Nonstandard 141
Procedures, Navigation Facility Requirement 122
Procedures, NDB ..... See NDB
Procedures, Nonstandard 141
Procedures, Notams for 150
Procedures, Obstacle Marking & Lighting 122
Procedures, Obstructions to 122
Procedures, Publication 170
Procedures, Requests 121
Procedures, Responsibility 130
Procedures, Retention 123
Procedures, Submission 170
Procedures, Types 5
Procedures, Weather Information Required 122
Procedure, Missed Approach 270
Publication of Departure Procedures 1207
Publication of Minimums 311
Publication of Procedures 170
Purpose of TERPS 1
Radar Accuracy 286
Radar Fix 283
Radar Monitor 1046
Radar Pattern Deviation ASR 1045
Radar Patterns, ASR 1041
Radar Procedures 1000
Radar, Airborne 1060
Radar, Airport Surveillance ..... See ASR
Radar, Precision Approach ..... See PAR
Radial Final Approach, TACAN 523
Radial Final Approach, VORTAC 523
Radial Final Approach, VOR/DME 523
Radial Intermediate Segment 240
Radials, Units Used 210
Radius, Arc Intermediate Approach Segment 243
Radius, Arc, Initial Segment 232
Random Routes 1501
Random Vector A1-2
Range, Runway Visual ..... See RVR
Reckoning, Dead A1-2
Reference Facility 1501, 1502, 1504
References A3-5
REIL A5-11
Relocation of GS, PAR 1027
Relocation of the Glide Slope PAR (Heli.) 1166
Remote Altimeter Source, Effect on MDA 323
Requests for Procedures 121
Responsibility for Procedures 130
Retention of Procedures 123

Review, Annual . . . . . Foreword
Rho-Rho, RNAV 1500, 1501
RNAV Descent Angle 1501
RNAV - General 1500
RNAV Procedure Construction 1502
RNAV Procedure Identification 1503
RNAV Routes 1501
ROC A1-2, A2-4, A2-9
Rounding MDA 321, 322
Route Change Waypoints 1505
Routes, Departure 1203, 1205
Route Width, RNAV 1502
Runway Environment A1-2
Runway Lights for RVR Approval 334
Runway Markings 334, 342
Runway Requirements 334
Runway Separation, Parallel ILS 992
Runway Visual Range . . . . . See RVR
Runway Waypoint 1501, 1506
RVR Approval, Runway Requirements 334
RVR Substitute Values 335
RVR Units Used 210
RVR 333
SALS A5-3
Scope of TERPS 1
SDF Procedures 1400
Secondary Area Obstacle Clearance, Final Approach A2-7
Secondary Area Obstacle Clearance, Initial A2-5
Secondary Area Obstacle Clearance, Intermediate A2-4
Secondary Area Width, Final Approach A2-6
Secondary Areas A1-2, A2-1, A2-3
Secondary Areas, En Route 1712
Secondary Area, Missed Approach, ILS 944
Secondary Area, RNAV 1510
Sector Altitudes, Minimum 221
Segment A1-2
Segment Length, PAR 1014
Segments of a Procedure 214
Segment, Initial 230
Segment, Intermediate Approach 240
Segments, RNAV 1502
Selection, Altitude 231
Service Volume A1-2
Simultaneous Approach 5
Simultaneous ILS Procedures 990
Simultaneous ILS 901
Simultaneous PAR 1050
Simultaneous Radar Procedures 1000
Size-Circling Final Approach Area 260
Size, Penetration Turn Initial Approach Area 235
Slope, ILS Surfaces 931

Special Procedures Cancellation 123
Speeds, Units Used 210
SSALF 341, A5-4
SSALS 341, A5-4
Standard ALS A5-1
Standard Lighting System 341
Standard Minimums 350
Station Elevation, RNAV 1505
Station Passage Fix Error 286
Stepdown Fix 288
Stepdown Fix, NDB 613, 623
Stepdown Fix, VOR 413, 423
Steps, MEA 1740
Straight Departures 1203
Straight Intermediate Approach Segment 242
Straight Line Extension of GS A2-9
Straight Missed Approach Area (Heli.) 1118
Straight Missed Approach Obstacle Clearance (Heli.) 1119
Straight Missed Approach 273
Straight Missed Approach, ILS 942, 944
Straight Missed Approach, PAR (Heli.) 1169
Straight Missed Approach, PAR 1032, 1034
Straight Missed Approach, RNAV 1533
Straight-in Alignment VOR 513
Straight-in Alignment, NDB Final 613
Straight-in Approach Minimums 321
Straight-in Approach Missed Approach Point 514
Straight-in Approach 5
Straight-in Approach, VOR 400
Straight-in Descent Gradient 513
Straight-in Descent Gradient, NDB 713
Straight-in Final Approach Alignment, VOR 413, 513
Straight-in Final Approach, SDF 1413
Straight-in Minimums 330, 350
Straight-in NDB Alignment 613
Straight-in NDB Approach 600
Straight-in NDB Final 713
Straight-in NDB Missed Approach 714
Straight-in NDB Obstacle Clearance 613
Straight-in NDB Procedures 600
Straight-in Obstacle Clearance, ASR 1044
Straight-in Obstacle Clearance, NDB Final 713
Straight-in Obstacle Clearance, NDB 623
Straight-in Obstacle Clearance, VOR 413, 423, 513
Straight-in Procedures Identification 161
Submission of Procedures 170
Surface, ILS Final Approach 931
Surface, PAR Final 1021
System Accuracy Factors ..... Foreword
System Accuracy, En Route 1711, 1712
System Accuracy, Turning Areas 1713

System Components, ILS 910
System Components, PAR 1010
System Components, Simultaneous ILS 991
TACAN Procedures 500
TACAN RNAV Systems 1500, 1501
Takeoff Minimums (Heli.) 1129
Takeoff Minimums 370
Tangents A4-1
Tangent Point 1501
Tangent Point Distance 1501
TCH A2-9
TCH, ILS 936
TCH, PAR 1026
TDZ A1-2, A5-7
Teardrop Penetration Initial Approach 235
Teardrop Penetration, VOR 420
Teardrop Procedure Turn, Angle of Divergence 234
Template, Turning Area 1715
Terminal Area Fixes 280
Terminal Turning Area, RNAV 1520
Termination Point, En Route 1711, 1712
Termination Point, RNAV 1510
Terminology (Heli.) 1101
Terrain, Precipitous A1-2
Threshold Crossing Height, ILS 936
Time Difference 1501
Touchdown Zone Elevation A1-2
Touchdown Zone A1-2
TPD/WP Limitation, RNAV 1510
Transition Level A1-2
Transitional Surfaces, ILS 932
Transitional Surfaces, PAR (Heli.) 1163
Transitional Surfaces, PAR 932
Transitional Surface, SDF 1413
Transmission Interval, DF 820
Transmissometer Locations, RVR 334
Turning Areas, En Route 1713, 1714
Turning Areas, RNAV 1502
Turning Departures 1203
Turning Missed Approach Area (Heli.) 1120
Turning Missed Approach Area 275
Turning Missed Approach Obstacle Clearance (Heli.) 1121
Turning Missed Approach Obstacle Clearance 276
Turning Missed Approach, ILS 943, 944
Turning Missed Approach, PAR (Heli.) 1170
Turning Missed Approach, PAR 1033, 1034
Turning Missed Approach, RNAV 1534
Turns, Early 1204, 1205
Turn Anticipation 1501
Turn, Penetration ..... See Penetration Turn
Turn, Procedure ..... See Procedure Turn

Turn, Waypoint 1501
Type of Procedure (Heli.) 1103
Types of Procedures 5
UHF/VHF DF & Height Altitude Penetration A2-8
Units of Measurement 210
Unstandard Lighting Systems 344
Variations of Lighting Systems 344
Vectors, ASR, Diverse 1041
Vector, Diverse A1-2
Vector, Random A1-2
VHF Fixes 1761
VHF Obstacle Clearance Areas 1710
Visibilities, Units Used 210
Visibility Credit for Lights 340
Visibility Credit (Heli.) 1128
Visibility Minimums 330
Visibility Reduction 343
Visibility Reduction, Operational Conditions 342
Visibility Values for RVR 335
Visibility (Heli.) 1127
Visibility, Departure 1208
Visual Descent Point (VDP) 251
Visual Portion of the Final Approach Segment 251
Volume, Service A1-2
VOR Procedures 500
VOR/DME Procedures 500
VOR/DME RNAV Systems 1500, 1501
VOR/TACAN Accuracy 285
VORTAC Procedures 523
VORTAC RNAV Systems 1500, 1501
VOR, On Airport, No FAF 400
VOR Radial Waypoints 1505
Waypoint Displacement Area 1501
Waypoint, Instrument Approach 1501, 1502, 1505
Weather Information Required 122
Width of Final Approach Secondary Area A2-6
Width of Intermediate Secondary Area A2-3
Width, Arc Intermediate Approach Segment 243
Width, ASR Final 1044
Width, ASR Intermediate 1042
Width, DR Initial Approach Segment 233
Width, ILS Final Approach Area 930
Width, Initial Approach Segment 232
Width, Intermediate Segment (with Procedure Turn) 244
Width, PAR Final 1020
Width, Straight Intermediate Segment 242
Width, Straight Missed Approach Area 273
Width, Turning Missed Approach 275
Word Meaning 6
Zone of No Transgression, Simultaneous ILS 990